

NC STATE UNIVERSITY
SURPLUS REQUEST FORM

Request ID: 000000066869
 Request Date: 12/10/2025
 Request Status: Pending C&G Review
 Department: 170101 College of Sciences - Dean
 Pick Up Location: 032A05126
 Comments:
 Room is unlocked. Most items in Hallway as you head toward 5140

Contact: Terry T Byron
 Phone: 919/255-0018
 Email: tbyron@ncsu.edu
 Surplus Action: Pick-Up

QTY	Lot	Description	Serial#	Project	Asset Tag#	Asset ID	Condition
1	N	Apple - Mac Mini	C07GX0GHDKDJ	201580-10009			Good
1	N	Apple - Mac Mini	C07JX0CPDY3H	201580-10009			Good
1	N	Apple - Mac Mini	C07GK0HCDJD1	201580-10009			Good
1	N	Laptop - Apple	C02WJ015G8WN	201580-10009			Good
1	N	Apple - Mac Mini	C07H10HRDKDJ	201580-10009			Good
1	N	Laptop - Apple	C02WR0WUG8WL	201580-10009			Good
1	N	Laptop - Apple	C02WR0W8G8WL	201580-10009			Good
1	N	Netgear 24 Port Switch	NA		0026207900	000001003208	Good

QTY	Lot	Description	Serial#	Project	Asset Tag#	Asset ID	Condition
1	N	Apple - iMac	D25WQ0TZJ1GN	201580-10009			Good
1	N	Apple - iMac	D25WQ11CJ1GN	201580-10009			Good
1	N	Apple - iMac	D25MR0Z5F8JC	201580-10009			Good
1	N	Apple - iMac	D25PK08QFY14	201580-10009			Good
2	N	Bean Bag		201580-10009			Good
1	N	Apple - Mac Mini	C07GX174DJD3	201580-10009			Poor
1	N	Laptop - Dell Lat. 7400	D8D6P13	201580-10009			Poor
1	N	Laptop - Dell XPS	5C2T8W1	201580-10009			Poor
1	N	Apple - Mac Pro (Trashcan)	F5KRV04UF694	201580-10009			Poor
1	N	PC - Dell All-in-One	8FW6RP2	201580-10009			Poor
1	N	Apple - Mac Pro	15721091UPZ	201580-10009			Poor
1	N	Apple.- Mac Pro	G89130RD20H	201580-10009			Poor

QTY	Lot	Description	Serial#	Project	Asset Tag#	Asset ID	Condition
1	N	Apple - Mac Pro	G89130RA20H	201580-10009			Poor
1	N	APPLE PRO MAC	H0046280EUG		0026002200	000000011452	Poor
1	N	Apple - Mac Pro	G8713553UPZ	201580-10009			Poor

Certifications

Hazardous Materials Notice Y Certified By TBYRON 12/10/2025 2:08 PM

Person/Department disposing of equipment that (i) may have been used to process hazardous materials, or (ii) may contain hazardous material which cannot be removed, or (iii) which contains radioactive materials, must receive clearance as appropriate from the Environmental Health & Safety Dept, or the Radiation Protection Office before this equipment may be surplusd.

Data Security Note Y Certified By TBYRON 12/10/2025 2:08 PM

When including devices that may have internal storage (e.g., copiers, printers, scanners, projectors, etc) on this form, please check with the manufacturer for verification if storage exists. If equipped with internal storage, it is the responsibility of the department to erase all data on the internal storage or remove it before turning the device over to Surplus. Devices with internal storage retain images made during the life of the equipment.

Risk Management Y Certified By TBYRON 12/10/2025 2:08 PM

Person/Department disposing of (i) tractors, mowers, skid steers or (ii) cars, trucks, vans and trailers, must provide a signed copy of the surplus request with signatures from your department and Surplus Property to remove the item (s) from Risk Management Insurance.

Created By: TBYRON 12/10/2025 8:07 AM

Last Updated: TBYRON 12/10/2025 2:08 PM