

NC STATE UNIVERSITY

SURPLUS REQUEST FORM

Request ID: 000000068638
Request Date: 09/23/2026
Request Status: Submitted
Department: 170109 COS - IT
Pick Up Location: 032A05126
Comments:
In Hallway going towards 5140

Contact: Terry Byron
Phone: 919/515-3630
Email: tbyron@ncsu.edu
Surplus Action: Pick-Up

QTY	Lot	Description	Serial#	Project	Asset Tag#	Asset ID	Condition
1	N	Large Monitor		201580-10009			Good
1	N	DELL_LAPTOP	3S5VXF1	201580-10009			Good
1	N	HP Printer	CNB9L44240	201580-10009			Good
1	N	HP Priinter	CN475C40TS	201580-10009			Poor
1	N	DELL_OPTIPLEX_7040	CD2G482	201580-10009			Poor
1	N	DELL_PRECISION_TOWER_5810	31SQR52	201580-10009			Poor
1	N	DELL_PRECISION_TOWER_5810	31SPR52	201580-10009			Poor
1	N	DELL_PRECISION_TOWER_5810	2BTJ482	201580-10009			Poor

QTY	Lot	Description	Serial#	Project	Asset Tag#	Asset ID	Condition
1	N	DELL_OPTIPLEX_9020	9Z6X942	201580-10009			Poor
1	N	DELL_LAPTOP_7310	JY3RL63	201580-10009			Poor
1	N	ASUS_LAPTOP	KAN0CV18R244443	201580-10009			Poor
1	N	APPLE_IMAC_27"	D25RJ0FAGG7V	201580-10009			Poor
1	N	APPLE_IMAC_27"	D25RJ0FHGG7V	201580-10009			Poor
1	N	APPLE_IMAC_27"	C02JX20YDNMP	201580-10009			Poor
1	N	APPLE_IMAC_27"	D25MM23WF8JC	201580-10009			Poor
1	N	APPLE_LAPTOP	C02CP3HQP3YV	201580-10009			Poor
1	N	APPLE_LAPTOP	FVFYQ1ALJK78	201580-10009			Poor
1	N	APPLE_LAPTOP	C02Y5048JK7M	201580-10009			Poor
1	N	APPLE_LAPTOP	FVFWQ2D6HV2H	201580-10009			Poor
1	N	APPLE_LAPTOP	FVFYP367HV2H	201580-10009			Poor

QTY	Lot	Description	Serial#	Project	Asset Tag#	Asset ID	Condition
1	N	APPLE_LAPTOP	C02V614GHTDG	201580-10009			Poor
1	N	LENOVO_LAPTOP	R9-2064V	201580-10009			Poor
1	N	LENOVO_LAPTOP	R9-2064T	201580-10009			Poor

Certifications

Hazardous Materials Notice Y Certified By TBYRON 9/23/2026 9:16 AM

Person/Department disposing of equipment that (i) may have been used to process hazardous materials, or (ii) may contain hazardous material which cannot be removed, or (iii) which contains radioactive materials, must receive clearance as appropriate from the Environmental Health & Safety Dept, or the Radiation Protection Office before this equipment may be surplusd.

Data Security Note Y Certified By TBYRON 9/23/2026 9:16 AM

When including devices that may have internal storage (e.g., copiers, printers, scanners, projectors, etc) on this form, please check with the manufacturer for verification if storage exists. If equipped with internal storage, it is the responsibility of the department to erase all data on the internal storage or remove it before turning the device over to Surplus. Devices with internal storage retain images made during the life of the equipment.

Risk Management Y Certified By TBYRON 9/23/2026 9:16 AM

Person/Department disposing of (i) tractors, mowers, skid steers or (ii) cars, trucks, vans and trailers, must provide a signed copy of the surplus request with signatures from your department and Surplus Property to remove the item (s) from Risk Management Insurance.

Created By: TBYRON 9/22/2026 10:30 AM

Last Updated: TBYRON 9/23/2026 9:17 AM

